



ARMAÇÃO DOS BLOCOS B3A, B4A E B4B

ESC.: 1:25


B4A (12x)
4xHC35
PLANTA
ESC 1:25




CORTE AA = CORTE BB
ESC 1:25




B4B (8x)
4xHC40
PLANTA
ESC 1:25



CORTE AA
ESC 1:25



CORTE BB
ESC 1:25






Relação do aço

AÇO	N	DIAM (mm)	QUANT	C.UNIT (cm)	C.TOTAL (cm)
CA50	1	8.0	240	371	89040
	2	8.0	192	211	40512
	3	8.0	36	808	29088
	4	8.0	96	386	37056
	5	8.0	88	406	35728
	6	8.0	72	246	17712
	7	8.0	80	226	18080
	8	8.0	32	908	29056
	9	8.0	117	VAR	VAR
	10	8.0	143	VAR	VAR
	11	8.0	117	VAR	VAR
	12	8.0	104	VAR	VAR
	13	8.0	39	797	31083
	14	20.0	144	363	52272
	15	20.0	64	378	24192
	16	20.0	80	394	31520
	17	20.0	117	VAR	VAR


Resumo do aço

AÇO	DIAM (mm)	C.TOTAL (m)	PESO + 10 % (kg)
CA50	8.0	4791.9	2079.9
CA50	20.0	1525.7	4138.6
PESO TOTAL (kg)			
CA50	6218.5		


B3B (13x)
3xHC35
PLANTA
ESC 1:25



CORTE AA
ESC 1:25



CORTE BB
ESC 1:25



NOTAS

- 1- MEDIDAS EM cm, NÍVEIS EM m
- 2- COBRIMENTO: 3,0cm. (usar espaçadores)
- 3- AÇO CA-50 fyk=500 MPa, CA-60 fyk=600 MPa
- 4- fck = 25 MPa
- 5- CONFERIR MEDIDAS NA OBRA
- 6- NÃO TOMAR MEDIDAS EM ESCALA

